UK Patent Application - GB - 2 153 572 A


(43) Application published 21 Aug 1985

- (21) Application No 8333749
- (22) Onto of filling 19 Dec 1983
- (71) Applicant
 Arthur Edward Thomas Limited (United Kingdom),
 26 Mill Race Close, Lisvane, Cardiff, Glamorgan, Wales
- (72) Inventor
 Arthur Edward Thomas
- (74) Agent and or Address for Service R. G. C. Jenkins & Co., 12-15 Fetter Lane, London EC4A 1PL

- (51) INT CL⁴ G07F 17 34
- (52) Domestic classification G4V 118 AA U1S 1174 G4V
- (56) Documents cited None
- (58) Field of search G4V

(54) Gaming machine

(57). A gaming machine (2) allows a user to place a stake and play a main game, e.g. using a set of reeis (10), which may result in one of several win values. The gaming machine (2) is also operable in a stake gamble mode, in which a mechanism, such as a further reel (30), is used to gamble the user's stake before the results of the main game are made known to the user, and preferably before the main game is started. If the gambling operation is successful, the possible win values are increased. In a preferred embodiment. if the gambling operation is unsuccessful a consolation feature is provided.



BEST AVAILABLE COPY

	1/	1		e de distiglik pa
14	14	1 46	14 14	<u>'</u>
	10P 20P 30P £ £ £ £			20
22		8 40 42	44 22	
34 33 52 34 36	50 52 50 52 50 52 50 52 50 72		-54 -8 -7/8	+6
28 52	26	26	1/5	

AND THE PROPERTY OF THE PROPER

GB 2 153 572 A

233

SPECIFICATION

Gaming machines

5 This invention relates to gaming machines by means of which a user can play a game and depending on the results of the game accumulate a credit value which preferably results in the machine paying out cash and or tokens.

The invention is applicable for example to devices known as "amusement with prize" machines, e.g. those commonly known as "fruit machines", which incorporate symbol-carrying reels which are spun during the playing of a game so as to alter in 15 a random or pseudo-random manner the combination of symbols which can be viewed by the user. The invention is also applicable to machines which incorporate other forms of display, such as a panel

carrying symbols which are selectively illuminated 20 during the playing of a game, or a video display screen which displays simulated reels or other symbols such as playing cards. Patent Specification GB-A-2117155, for example, describes a machine to which the present invention can be

25 applied.

Generally, when playing these types of machines, a game can result in any of several different types of wins, and the value of each win, i.e. the credit accorded to the user on achieving the 30 win, depends upon which of the winning results he has achieved. The attractiveness of such machines to users depends to a large extent on the values of the highest wins which can be achieved, and the number of different types of wins which can result

35 in such high values, for a given stake. In an attempt to increase their attractiveness, fruit machines in the past have been provided with a "gamble" feature whereby after the user has achieved a winning result using the machine, he 40 can select either to collect his winnings, or to gam-

ble them, or part of them, which could result in his winnings being either increased or decreased, or lost entirely. This feature has proved popular, but is of limited value because it is found that users

45 are generally unwilling to gamble high-value wins, so that in practice the gamble feature does not provide any substantial increase in the maximum win value which a user would hope to receive.

According to one aspect of the present invention, 50 there is provided a gaming machine by means of which a user can place a stake and play a game, the machine being operable to calculate and credit to the user a livin visible dependent on the results of the game, where nothe machine is selectively ober-55 able, before the reliable of the game are made known to the user, in a stake gamble mode in which the user's of ere is gampled, so that the winvalue calculation operation is dependent on the resuits of both the game and the stake gamble

50 made. Preferably, the mishing is arranged such that the playing of a han electric result in a user somewing and of the common address of windless in reliend preferably along the le des, and Mileautic

65 with values and in the unit fitne user selectuither

gamble mode and the gample mode produces the appropriate results. Thus, acmieving the appropriate result in the gamble mode may be equivalent to increasing the stake of the game played by the machine, with a consequent increase in the potential win values. This effect will therefore be referred to herein as a "stake increase", although it will be appreciated that not all the potential winvalues need be affected by such a stake increase, and those that are affected need not be altered in a consistent manner.

Although the following description will refer to an arrangement in which a stake increase can be achieved in the gamble mode, it will be appreciated that the gamble mode could be used for other purposes. For example, an appropriate result in the gamble mode may provide the user with one or more free games. Alternatively, the free games could be provided in addition to the stake increase, or the user may have the option of selecting either a stake increase or one or more free games.

Although it would be possible for the machine to be arranged such that the user can select the gamble mode at any time until the results of the game are made known to the user, it is preferred that the arrangement be such that the user has to make his decision as to whether or not to use the gamble mode before the main game is started. Preferably also the user is made aware of the results of the gamble mode before the main game is started. This is particularly desirable in a preferred embodiment of the invention, in which the use: can, if he wishes, successively select the gamble mode, and in which if the appropriate results are successively produced, successive stake increases are achieved.

One convenient arrangement for achieving the features referred to above is to arrange for the machine to offer the user, at the beginning of a play, the option of selecting the gamble mode or instead initiating the game. If the user decides to initiate the game, any win values which are achieved are based on a predetermined fixed stake, of for example 10p. If instead the user selects the gamble mode and achieves the appropriate result, he is then again offered the option of selecting a gamble mode or initiating the game, and if on this occasion he selects the game any win values are calculated on the basis of an increased stake of, e.g. 20p. This procedure can be continued until a predetermined maximum effective stake is reached.

If the machine is arranged to allow successive gamble options, it is preferably arranged so that the effective stake increases in a regular manner if the gamble mode produces successive results of the correct type. One possibility would be for the effective stake to be increased by a fixed value each time. Andther possibility would be for the stake to increase by a fixed factor each time, e.g. for each effective stake to be double the preceding

115

125

It is a further preferred feature of the invention that if the tame or tide does not produce a restall which is effect on a core see a potential win on an then further one of coty to obtain a win order

130 yield. This can be regarded as a consciation to i-

and the second of the second o

pure gallerer so there does not have confuresult in the user losing every time he fails to increase his affective stake. The consolation feature can be provided every time the user fails to achieve the 5 correct type of result in the gamble mode, or only at certain times which may be selected randomly or pseudo-randomly. For example, the gamble feature may be capable of producing any of several different results, only one of which is effective to 10 increase the stake, the other results having other effects. One result may be that the user is allowed to initiate the game using his original or a reduced stake. In a fruit machine type game, another result might cause one or more of the reels to spin, or 15 might allow the user to "nudge" one or more of the reels. The user would then stand a chance of obtaining a win value dependent upon the final positions of the reels. These features may be provided in dependence upon the symbols displayed 20 by the reels at the time the gamble mode ends. For example, the gamble mode might result in the display of a symbol which corresponds in some man-

25 lowed to be nudged.

In an alternative embodiment, the consolation feature is of an "accumulative" type, whereby the user needs to obtain the consolation feature several times before he can obtain a win, or alternatively whereby the !ikilihood of obtaining a win increases with the number of times the consolation feature is provided. Thus, if the user repeatedly fails to increase his stake using the gamble mode, he becomes more likely to obtain a win using the consolation feature. This increases the interest in the game, particularly if the arrangement is such that the desired outcome of the gamble mode varies depending upon what has happened in previous plays, so that in some circumstances the

ner to a symbol displayed by a reel, and in this

case that reel, and only that reel, is spun or al-

vious plays, so that in some circumstances the
40 user may desire that his stake be increased but in
other circumstances he may desire that the consolation feature be provided.
When an "accumulative" type of consolation fea-

When an "accumulative" type of consolation feature is provided, it is desired that, if the gamble 45 mode results in a stake increase, the condition of the machine be cleared so that the user has to start afresh in accumulating consolation features in order to increase the possibility of obtaining a win in this manner. Alternatively, there may simply be 50 a decrease in the number of consolation features effectively accumulated so far.

The machine may be arranged so that the value of the convolution feature increases in accordance with the number of successive preceding occasions.

- 55 on which a contract has successfully increased his stake. For example, if an "accumulative" type of consolation feature is provided, a win could be achieved to excumulating a "consolation count" of, say, twelve. The machine could then be un-
- 60 ranged do that, If the user suncessfully obtains a single stake increase and then unsuccessfully uses the gamb in one, the consolation countries are stated by the stated of the other near the countries and desertion of the state and the other near the countries of the other near the other near
- 65 locosciono antitren makes an unsulcitativi atvi

tenint, the consciution count is increased by four.

It is preferred that the machine have a display to indicate the possible win values which can be achieved depending upon whether or not the user has been able to increase his effective stake using the gamble mode. This may conveniently be in the form of a table which, for each possible winning result, lists those win values which can be achieved at the various possible effective stakes.

An arrangement embodying the invention will now be described by way of example with reference to the accompanying drawing, which shows a gaming machine in accordance with the invention.

The specific embodiment to be described is a version of the well-known "fruit machine". Many examples of such machines are readily available, and the way in which they operate is well-known to those familiar with the art. The details of the control circuitry of the present embodiment will therefore not be described because various ways of implementing appropriate control techniques, whether using hard-wired logic or software techniques, will be readily apparent to such a person.

The machine 2 has a vertical facia 4 and an inclined facia 6. The facia 6 has five apertures 8, four of which reveal portions of the circumferences of four reels 10 which are mounted for rotation about a common horizontal axis. The reels carry symbols such as those shown at 12 on their peripheries, some of the symbols being visible through the apertures 8.

The machine can be played by inserting a coin or a token through an appropriate one of the slots 14.

After the user has inserted a coin or token, a "permitted game" count is incremented by an amount dependent on the value of the inserted coin or token. This indicates the number of games the user can play before a further coin or token has to be inserted.

The user may then press a start button 16. This causes the four reels 10 to spin. This is preferably achieved by using a stepper motor for each reel. The reels then stop spinning, their final positions being determined in a random or pseudo-random manner. If the reels are positioned such that certain symbols are aligned along a win line 18, the user is credited with a win value, which in this machine results in the paying out of coins in an amount corresponding to the win value.

The vertical facia 4 carries a display 20 which contains columns 22 in which are displayed the possible winning combinations of symbols. There is also a column 24 which displays the possible win values associated with each winning combination when the game is played in the manner described above.

Occasionally, a "hold" feature is provided whereby the user is given the opportunity to press one or more hold buttons 26, which will prevent, during the subsequent reef-spinning operation, the spirit right each reef associated with a mold button which has been pressed. There is a career button 28 has careering the selection of reem 100.4 the hold century to permit a different pressure or perfore.

there is a some of the first of

The arrest of \mathcal{A} the magnetic as this chied so fat is downed from (

The machine has a further real 30 which is re5 ferror to herein as the stake gamble real, which is
mounted for rotation about the same axis as the
reals 10, and part of which can be seen through
one of the apertures 8. The real 30 could instead
be mounted about a different axis of rotation, and
10 indeed it does not even have to be in proximity to
the reals 10.

The reel 30 is operated, as will be described, by a "stake gamble" button 32.

Assuming that a coin or token has been inserted, then to begin a play the machine causes flashing lights to illuminate the start button 16 and the stake gamble button 32, to indicate to the user that he has the choice of pressing the start button 16, which would cause a game to be played in the 20 manner described above, or pressing the gamble

button 32.

If he chooses the latter option, the reel 30 is spun and then stopped so that its final position is determined in a random or pseudo-random manner. The reel 30 carries about its periphery a number of "win" symbols 33, and a number of "non-win" symbols 34. Assuming that after the reel 30 stops spinning, a win symbol 33 is aligned with the win line 18, the machine 2 again causes the start 30 button 16 and stake gamble button 32 to be illumi-

nated by flashing lights.

The user may then press the start button 16 to cause a garde to be played by the spending of the reels 10. If as a result of this the reels come to a 35 stop with a winning combination of symbols on the win line 18, then the value paid out by the machine 2 will be that indicated in a column 36 of the display 20, instead of the corresponding value in

the column 24. In this particular embodiment, the 40 values in the column 36 are all twice the corresponding values in the column 24. Assuming that the fixed, normal stake for the machine 2 is 10p, this means that the initial operation of the stake gamble reel 30 and the resulting win achieved during that operation has caused the effective stake to

be increased from 10p to 20p.

After the operation of the stake gamble reel 30, if the user had elected to operate the stake gamble button 32 again, instead of the start button 16, the stake gamble reel 30 would have spun again. If, again, this results in a win symbol being aligned with the win line 18, then the user is again presented with the option of pressing the button 32 or the potton 31, fine presses the button 31, and

55 achieves it will indicambenation of the consumer term (10) and will value is perested from condition 28 on which the values are three times in every the column 24 out that the effective stake for his all galaxies was 300.

60 If the gradition regardly obtains a "win" using the stake gain to the 20 ine can repeated. It nows to win the contamination 150 against the first of the contamination 150 against the first of the contamination 150 against the contamination of the contamination.

no of the contract of the state of the first 40n, 50p and the contract anown in common 4n, 42 and 44, respectively. If the user achieves an effective stake value of 50p, he is no longer permitted to spin the stake gambie reel 30, and must instead press the start button 16 to commence the main game.

In order to indicate to the user his progress in using the stake gamble reel 30, the machine may be arranged to illuminate either the present effective stake value, the possible values being shown in a row 46 of the display 20, and or the possible win values for the present effective stake, which are listed in a respective one of the columns 24, 36, 38, 40, 42 and 44.

80 If the stake gamble reel 30 is spun and a nonwinning symbol comes into alignment with the win line 18 at the end of the spinning operation, the machine could be arranged simply to terminate that play, so that the user loses his stake.

85 In the present embodiment, however, a consolation feature is provided. The machine is provided with a consolation feature display 50 which comprises a line of arrows 52, each of which can be selectively illuminated, and a random win value 90 display 54.

The arrows 52 are illuminated in succession starting with that furthermost from the random win value display 54. One further arrow is illuminated each time the spinning of the stake gamble reel 30 95 results in a non-winning symbol being in alignment with the win line 18. Thus, if this happens eight times in succession all the arrows 52 will be illuminated, and this will initiate a consolation prize. feature, whereby various portions of the random win display 54 are illuminated repeatedly in succession for a random or pseudo-random period, and the user is then awarded either one of several win values or a free game depending on which portion of the display 54 remains illuminated at the end of this operation. Then, the muchine ceases to illuminate all the arrows 52 so that the user must start again to accumulate illuminated arrows, by spinning the stake gamble reel 30 and obtaining on the win line a non-winning symbol, before the consolation win is awarded.

If, at a stage when one or more of the arrows 52 is illuminated, the stake gamble reel 30 is spun and a winning symbol comes into alignment with the win line 1d, then all of the illuminated arrows cease to be illuminated (or in an alternative embodiment the last arrow to be illuminated ceases to be illuminated) so that a greater number of spins of the reel 30 resulting in non-winning symbol years the win line 18 must be accumulated between the conditions will be accumulated.

In a next test embodiment, the number of arrow (\$1 km), no are illuminated if a non-winning symbol 34 loopears on the win line decretos upon the present effective stake value. Thus, a single 125 further arrow may be illuminated if the present effective of the is 100, and four further arrows illuminated for a resent effective stake is 400.

Free an argument care described metery by two of the control and meny officer afternatives are about the control as a cont

each may be associated with a different type of symbol on the reels 10. If the reel 30 is spun, and a non-winning symbol comes into alignment with 5 the win line 18, this could cause the spinning of any of the reels 10 which have corresponding symbols on the win line 18. Alternatively, the machine could allow the user to "nudge", i.e. index any such reel so that an adjacent symbol comes into 10 alignment with the win line 18.

In the arrangement described above, the effective stake was increased by 10p each time the reel 30 was spun and a win symbol came into alignment with the win line 18. Instead, the effective 15 stake could be arranged to double each time. Further, there need not be any consistent relationship between the possible win values. For example, the increase in the effective stake may apply only to some of the winning combinations of symbols, the 20 effective stake may change by different amounts. for different winning combinations, and the number of winning combinations to which an increase in the effective stake applies may depend upon the level of the effective stake. For example, there may 25 be an absolute maximum win value, and it is possible that certain winning combinations will provide this win value irrespective of the effective

In the embodiment described above, the user al30 ways had the option of pressing the stake gamble button 32 or the start button 16. In an alternative embodiment, the machine is arranged so that on cartain occasions the user is not given this option, and instead the spinning of the stake gamble reel.
35 30 is required. This may happen on random or pseudo-random occasions, or predetermined occasions. For example, at the beginning of a game the user may be required to spin the stake gamble reel.
30, any further spins being optional. Indeed, the machine could be arranged so that the use of the stake gamble reel. 30 is never optional.

If desired, an additional, conventional "gamble" mode could be provided, whereby the user may be allowed to perform a gambling operation after he 45 has achieved a win by spinning the reels 10, in an attempt to increase the win value. This additional gamble mode could be carried out using the same reel 30 as is used in the stake gamble mode.

In the above embodiment, the stake gamble op-50 eration was carried out using a reel. However, this is not necessary; instead, the operation could be carried out using a rotating disc, or a completely different form of display such as semientially flashing facts, a video display, etc.

55. The invention is applicable to any type of gameling is a proceed errespective of whether the machine pays in the earlies and or tokens, and inseed is applicable to a machine in which no paying our operation occurs at all, and instead a winner analyty accumus

60 lates a productionnt.

S1335

7. A continue manage of the continue was a super 65 dans also in the soo pay's game for manage. being posmible to predict to the user a win value if a winning game result is achieved, wherein the machine is also selectively operable to carry out an additional gambling operation on the user's stake, and wherein the win value for said winning game result is dependent on whether or not a winning stake gambling operation has taken place before the user is informed of the winning game result.

A machine as claimed in claim 1, including
 means whereby a user can instruct the machine to carry out the stake gambling operation.

3. A machine as claimed in claim 1 or claim 2, the machine being selectively operable to carry out a plurality of successive stake gambling operations, the win value for said winning game result being dependent upon how many winning stake gambling operations have taken place before the user is informed of the winning game result.

A machine as claimed in any preceding
 claim, wherein the machine is operable to credit to the user different win values in dependence on which of a plurality of different winning game results is achieved, each win value being dependent upon whether a winning stake gambling operation
 has taken place before the user is informed of the respective winning game result.

A machine as claimed in claim 4, the machine being operable to display each of the win values which can be credited to the user in response to achieving each of the winning game results.

6. A machine as claimed in any preceding claim, wherein the machine is arranged to inform the user of the results of the stake gambling operation before commencing the game.

7. A machine as claimed in any preceding claim, the machine being arranged to inform the user of winning game results by displaying symbols of a first type, and being operable to inform the user of a winning stake gamble operation by displaying a symbol of a second type.

8. A machine as claimed in claim 7, including a common display device which is operated for the playing of the game and for the stake gambling
0 operation and which is arranged to display both types of symbols.

9. A machine as claimed in claim 7, including a first display device operated for the playing of the game for displaying the first type of symbols, and a second display device which is operated for the stake gambling operation and which displays the second type of symbols.

 A machine as claimed in any preceding claim, the machine being operable to inhibit the discussed of a winning game reset or response to a non-winning stake gambling operation.

11. A machine as claimed in claim 10, wherein the or on he is operable to inhibit the playing of a game in response to the non-winning stake gamble operation.

12. A machine as claimed in claim 10 or 11, where in the machine in eperable to permit a further in the following two lattices are proposed to a first or in stakes to fitted over their

136 Table All Familie as claimed in claim 12, wherein

the further opportunity is provided in response to a plurality of non-winning stake gambling operations.

- 14. A machine as claimed in any preceding5 claim, having symbol-bearing reels which are spun for the playing of a game.
 - 15. A gaming machine substantially as herein described with reference to the accompanying drawing.

Printed in the UK for HMSO, D8818935, 7.85, 7.102. Published by The Patent Office, 25 Southampton Buildings, London, WCPA TAY, from which copies may be obtained.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: _____

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.